

BATHTUB
SERIES

We know that your pursuit of life is not only limited to material satisfaction, but also to the quality of life and spiritual comfort. Provide a variety of bathroom equipment, for your life to add a delicate and beautiful.



ARTOL

KOOCO
BATHTUB
SERIES

KOOCO

Hilton Family

MODEL: T17572



Enjoy Fresh Comfort-Create A New Look In Your Bathroom

KOOCO



Hilton Family

MODEL: T17572



When life has no clue, I just want to take a quiet bath

Enjoy being alone.

Immerse yourself completely

Hilton Family

MODEL: T17572
Size: 1500×720×560mm



MODEL: T17778
Size: 1700×780×560mm



- Available Colors:
- A01
Burgundy

A02
Sky Blue

A03
Smoke Gray



KOOCO

KOOCO

A sense of ritual in life

It's stepping into the bathtub
after a busy day

Westing Family

MODEL: T19572

Size: 1500×720×560mm



MODEL: T19778

Size: 1700×780×560mm



Available Colors:



A01
Burgundy



A02
Sky Blue



A03
Smoke Gray



Sheraton Family

MODEL: T21572
Size: 1500×720×670mm

MODEL: T21778
Size: 1700×780×670mm



Available Colors:



A01
Burgundy



A02
Sky Blue



A03
Smoke Gray





Maniott Family

MODEL: G11572
Size: 1500×720×560mm



MODEL: G11778
Size: 1700×780×580mm

✕ Exclusive design
Acrylic inner bath
Corian outer bath



Available Colors:

A01
Khaki

A02
Cement Grey

A03
Grey37n Outer

Mandarin Family

MODEL: G13572
Size: 1500×720×560mm
MODEL: G13778
Size: 1700×780×580mm



- ✕ Exclusive design
- Acrylic inner bath
- Corian outer bath



Available Colors:

A01
Khaki

A02
Cement Grey

A03
Grey37n Outer

KOOCO



Regent Family

MODEL: G15572
Size: 1500×720×560mm
MODEL: G15778
Size: 1700×780×580mm



- ✕ Exclusive design
- Acrylic inner bath
- Corian outer bath

Available Colors:

A01
Khaki

A02
Cement Grey

A03
Grey37n Outer



Sunny Family

MODEL: G22570

Size: 1500×700×550mm

MODEL: G22778

Size: 1700×780×580mm



✂ Exclusive design
Acrylic inner bath
Corian outer bath



Available Colors:



Peter Family

MODEL: G03572

Size: 1500X720X550mm

MODEL: G03778

Size: 1700X780X580mm



✂ Exclusive design
Acrylic inner bath
Corian outer bath



Available Colors:



Jason Family

MODEL: G06572
Size: 1500×720×550mm
MODEL: G06775
Size: 1700×750×550mm



- ✂ Exclusive design
- Acrylic inner bath
- Corian outer bath



Available Colors:

A01
Khaki

A02
Cement Grey

A03
Grey37n Outer

KOOCO



Rick Family

MODEL: G07572
Size: 1500X720X550mm
MODEL: G07778
Size: 1700X780X580mm



- ✂ Exclusive design
- Acrylic inner bath
- Corian outer bath

Available Colors:

A01
Khaki

A02
Cement Grey

A03
Grey37n Outer



Sandy Family

MODEL: G08572

Size: 1500X720X550mm



MODEL: G08778

Size: 1700X780X580mm

- ✕ Exclusive design
- Acrylic inner bath
- Corian outer bath



Available Colors:



A01 Khaki
A02 Cement Grey
A03 Grey37n Outer

Michael Family

MODEL: G09572

Size: 1500X720X550mm



MODEL: G09778

Size: 1700X780X580mm

- ✕ Exclusive design
- Acrylic inner bath
- Corian outer bath



Available Colors:



A01 Khaki
A02 Cement Grey
A03 Grey37n Outer



Landison Family



MODEL: 168572

Size: 1500×720×560mm

MODEL: 168778

Size: 1700×780×600mm

Available Colors:




A01
Grey37n Outer



A02
Blue Outer



A03
White Outer



Shangri-La Family



MODEL: 169572

Size: 1500×720×560mm

MODEL:169778

Size: 1700×780×600mm



Hyatt Family



MODEL: 170572

Size: 1500×720×580mm

MODEL:170778

Size: 1700×780×600mm

Available Colors:



A01
Grey37n Outer



A02
Blue Outer



A03
White Outer



Crown Family



MODEL: 171572
Size: 1500×720×620mm

MODEL:171778
Size: 1700×780×640mm



Wyndnam Family



MODEL: 177572
Size: 1500×720×560mm

MODEL: 177750
Size: 1700×750×600mm

MODEL: 177880
Size: 1800×800×600mm



Canrad Family



MODEL: 178572
Size: 1500×720×560mm

MODEL: 178778
Size: 1700×780×600mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



MGM Family



MODEL: 179772
Size: 1700×720×600mm



Regis Family



MODEL: 190572
Size: 1500×720×700mm

MODEL:190778
Size: 1700×780×700mm



Juneiral



MODEL: 191470
Size: 1400×700×700mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



Raymond Family



MODEL: EB01573
Size: 1500×730×580mm

MODEL: EB01673
Size: 1600×730×580mm

MODEL: EB01778
Size: 1700×780×600mm



Richard Family



MODEL: EB02573
Size: 1500×730×580mm

MODEL: EB02673
Size: 1600×730×590mm

MODEL: EB02778
Size: 1700×780×600mm



Tommy Family



MODEL: EB03573
Size: 1500×730×580mm

MODEL: EB03673
Size: 1600×730×580mm

MODEL: EB03778
Size: 1700×780×600mm

Available Colors:

A01 Grey37n Outer

A02 Blue Outer

A03 White Outer



Tony Family



MODEL: EB04572
Size: 1500×720×635mm

MODEL: EB04778
Size: 1700×780×635mm



Tom Family



MODEL: EB05572
Size: 1500×720×705mm

MODEL: EB05778
Size: 1700×780×725mm



Albert Family



MODEL: EB06572
Size: 1500×720×560mm

MODEL: EB06675
Size: 1600×750×580mm

MODEL: EB06778
Size: 1700×780×600mm

Available Colors:

A01 Grey37n Outer

A02 Blue Outer

A03 Grey Outer

A04 White Outer



Lucas Family



MODEL: EB07572
Size: 1500×720×560mm

MODEL: EB07675
Size: 1600×750×580mm

MODEL: EB07778
Size: 1700×780×600mm



Jack Family



MODEL: EB08573
Size: 1500×730×580mm

MODEL: EB08673
Size: 1600×730×580mm

MODEL: EB08778
Size: 1700×780×600mm



Larry Family



MODEL: EB10572
Size: 1500×720×600mm

MODEL: EB10675
Size: 1600×750×640mm

MODEL: EB10778
Size: 1700×780×640mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



Johan Family



MODEL: EB12572
Size: 1500×720×640mm

MODEL: EB12675
Size: 1600×750×640mm

MODEL: EB12778
Size: 1700×780×660mm



Bob Family



MODEL: EB13270
Size: 1200×700×660mm

MODEL: EB13470
Size: 1400×700×660mm



Martin Family



MODEL: EB22572
Size: 1500x720x560mm

MODEL: EB22673
Size: 1600×730×580mm

MODEL: EB22778
Size: 1700x780x600mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



Kenny Family



MODEL: EB40572 Size: 1500×720×600mm	MODEL: EB40673 Size: 1600×730×600mm
MODEL: EB40778 Size: 1700×780×600mm	



Brett Family



MODEL: EB59572 Size: 1500×720×600mm	MODEL: EB59673 Size: 1600×730×600mm
MODEL: EB59778 Size: 1700×780×600mm	

Faith Family



MODEL: EB61572 Size: 1500×720×600mm	MODEL: EB61778 Size: 1700×780×600mm
---	---



Felix Family



Available Colors:		
A01 Grey37n Outer	A02 Blue Outer	A03 White Outer

MODEL: EB60572 Size: 1500×720×600mm	MODEL: EB60673 Size: 1600×730×600mm	MODEL: EB60778 Size: 1700×780×600mm
---	---	---

Robert Family



MODEL: K152572 Size: 1500×720×600mm	MODEL: K152673 Size: 1600×730×600mm
MODEL: K152778 Size: 1700×780×600mm	



Barry Family



MODEL: K153572 Size: 1500×720×580mm	MODEL: K153672 Size: 1600×720×580mm
MODEL: K153778 Size: 1700×780×580mm	MODEL: K153880 Size: 1780×800×580mm



Available Colors:

A01 Grey37n Outer	A02 Blue Outer	A03 White Outer



David Family



MODEL: K155572
Size: 1500×720×730mm

MODEL: K155672
Size: 1600×720×730mm

MODEL: K155778
Size: 1700×780×730mm



Justin Family



MODEL: 156572
Size: 1500×720×560mm

MODEL: 156672
Size: 1600×720×580mm

MODEL: 156778
Size: 1700×780×600mm



Howard Family



MODEL: 157570
Size: 1500×700×560mm

MODEL: 157672
Size: 1600×720×580mm

MODEL: 157778
Size: 1700×780×600mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



Hugo Family



MODEL: 158572
Size: 1500×720×700mm

MODEL: 158778
Size: 1700×780×700mm



Hans Family



MODEL: 159572
Size: 1500×720×560mm

MODEL: 159778
Size: 1700×780×600mm



Bert Family



MODEL: 160572
Size: 1500×720×580mm

MODEL: 160778
Size: 1700×780×600mm

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



William Family



MODEL: 163572 Size: 1500×720×580mm	MODEL: 163778 Size: 1700×780×600mm
--	--



Devin Family



MODEL: EB10672 Size: 1580×720×670mm	MODEL: EB10774 Size: 1700×720×670mm
---	---



Wison Family



MODEL: YF170572 Size: 1500×720×560mm	MODEL: YF170778 Size: 1700×780×600mm
--	--

Available Colors:

A01
Grey37n Outer

A02
Blue Outer

A03
White Outer



Kolt Family



MODEL: YF172572 Size: 1500×720×600mm	MODEL: YF172778 Size: 1700×780×600mm
--	--



Angel Family



MODEL: 155572 Size: 1500×720×580mm	MODEL: 155778 Size: 1700×780×600mm
--	--



Vivian Family



MODEL: 152572 Size: 1500×720×560mm	MODEL: 152778 Size: 1700×780×600mm
--	--

Available Colors:

A01
Yellow Outer

A02
Blue Outer

A03
Grey Outer

A04
Gloss white

A05
Matt White



Helon Family



MODEL: 151572
Size: 1500×720×560mm
MODEL: 151778
Size: 1700×780×600mm

MODEL: 151675
Size: 1600×750×580mm



Ella Family



MODEL: 139475L/R
Size: 1400×750×600mm

MODEL: 139575L/R
Size: 1500×750×600mm

MODEL: 139675L/R
Size: 1600×750×600mm

MODEL: 139778L/R
Size: 1700×780×600mm



Alice Family



MODEL: 138575L/R
Size: 1500×750×600mm

MODEL: 138678L/R
Size: 1600×780×600mm

Available Colors:

A01
Yellow Outer

A02
Blue Outer

A03
Grey Outer

A04
Gloss white

A05
Matt White



Lucya Family



MODEL: 137575
Size: 1500×750×580mm

MODEL: 137883
Size: 1750×830×600mm



Sophy Family



MODEL: 136575
Size: 1500×750×600mm

MODEL: 136776
Size: 1680×750×580mm



Sally Family



MODEL: 135572
Size: 1500×720×560mm

MODEL: 135778
Size: 1700×780×620mm

Available Colors:

A01
Yellow Outer

A02
Blue Outer

A03
Grey Outer

A04
Gloss white

A05
Matt White



Nally Family



MODEL: 131778
Size: 1700×780×600mm

MODEL:131573
Size: 1500×730×580mm



Dolly Family



MODEL: K126572
Size: 1500×720×560mm

MODEL: K126778
Size: 1700×780×590mm



Mandy Family



- Available Colors:
- A01 Yellow Outer
 - A02 Blue Outer
 - A03 Grey Outer
 - A04 Gloss white
 - A05 Matt White

MODEL: K123572
Size: 1500×720×580mm

MODEL: K123775
Size: 1700×750×600mm

MODEL: K123880
Size: 1780×800×580mm

Candy Family



MODEL: K122575
Size: 1500×750×610mm

MODEL: K122778
Size: 1700×780×600mm



Betty Family



MODEL: K1581
Size: 1500×700×570mm

MODEL: K1781
Size: 1700×800×600mm

MODEL: K1881
Size: 1780×800×600mm



Elegant Family



MODEL: 115573
Size: 1500×730×580mm

MODEL: 115780
Size: 1700×800×580mm



- Available Colors:
- A01 Yellow Outer
 - A02 Blue Outer
 - A03 Grey Outer
 - A04 Gloss white
 - A05 Matt White



Fine Family



MODEL: 116573
Size: 1500×730×580mm

MODEL: 116780
Size: 1700×800×580mm



Bright Family



MODEL: 117573
Size: 1500×730×580mm

MODEL: 117780
Size: 1700×800×580mm



Trend Family



MODEL: 122573
Size: 1500×730×580mm

MODEL: 122778
Size: 1700×780×600mm

Colour:

A01
Gloss white



Quite Family



MODEL: 125573
Size: 1500×730×610mm

MODEL: 125778
Size: 1700×780×610mm



Wish Family



MODEL: 97578
Size: 1500×780×630mm

MODEL: 97778
Size: 1700×780×650mm



Generous Family



MODEL: 95572
Size: 1500×750×580mm

MODEL: 95778
Size: 1700×780×600mm

Colour:

A01
Gloss white



Honest Family



MODEL: 94572	MODEL: 94778
Size: 1500×720×620mm	Size: 1700×780×620mm



Sincere Family



MODEL: 93572	MODEL: 93778
Size: 1500×720×670mm	Size: 1700×780×700mm



Sweet Family



MODEL: 92572	MODEL: 92778
Size: 1500×720×600mm	Size: 1700×780×600mm

Colour:

A01
Gloss white



Smooth Family



MODEL: 90572	MODEL: 90778
Size: 1500×720×600mm	Size: 1700×780×600mm



Perfect Family



MODEL: 89572	MODEL: 89778
Size: 1500×720×600mm	Size: 1700×780×600mm

Idol Family



MODEL: 88572	MODEL: 88778
Size: 1500×720×600mm	Size: 1700×780×600mm

Colour:

A01
Gloss white



MODEL: 86578
Size: 1500×780×600mm

MODEL: 86778
Size: 1700×780×600mm



MODEL: 83572
Size: 1500×720×600mm

MODEL: 83778
Size: 1700×780×600mm



MODEL: 85572
Size: 1500×720×600mm

MODEL: 85778
Size: 1700×780×600mm



MODEL: 81572
Size: 1500×720×600mm

MODEL: 81778
Size: 1700×780×600mm



MODEL: 84572
Size: 1500×720×600mm

MODEL: 84778
Size: 1700×780×600mm



MODEL: 80572
Size: 1500×720×600mm

MODEL: 80778
Size: 1700×780×600mm

Colour:

A01
Gloss white

Colour:

A01
Gloss white



.....
MODEL: 52572
Size: 1500×720×560mm

MODEL: 52778
Size: 1700×780×600mm
.....



.....
MODEL: 44572
Size: 1500×720×560mm

MODEL: 44778
Size: 1700×780×600mm
.....



.....
MODEL: 43572
Size: 1500×720×600mm

MODEL: 43778
Size: 1700×780×600mm
.....



.....
MODEL: K33572
Size: 1500×720×710mm

MODEL: K33675
Size: 1600×750×710mm
MODEL: K33778
Size: 1700×780×710mm
.....



.....
MODEL: 29572
Size: 1500×720×590mm

MODEL: 29778
Size: 1700×780×600mm
.....



.....
MODEL: 28572
Size: 1500×720×560mm

MODEL: 28778
Size: 1700×780×590mm
.....



.....
MODEL: 42678
Size: 1600×780×600mm

MODEL: 42782
Size: 1700×820×600mm
.....



.....
MODEL: 41572
Size: 1500×720×560mm

MODEL: 41778
Size: 1700×780×600mm
.....



.....
MODEL: 1565
Size: 1530×700×600mm

MODEL: 1665
Size: 1650×750×600mm
MODEL: 1765
Size: 1785×800×600mm
.....



.....
MODEL: 27572
Size: 1500×720×560mm

MODEL: 27778
Size: 1700×780×620mm
.....



.....
MODEL: K27572
Size: 1500×720×560mm

MODEL: K27675
Size: 1600×750×580mm
MODEL: K27778
Size: 1700×780×600mm
MODEL: K27880
Size: 1800×800×600mm
.....



.....
MODEL: 24572
Size: 1500×720×570mm

MODEL: 24778
Size: 1700×780×590mm
.....



.....
MODEL: 21572
Size: 1500×720×660mm 
MODEL: 21680
Size: 1600×800×660mm
MODEL: 21785
Size: 1700×800×660mm
.....



.....
MODEL: K18580
Size: 1500×800×600mm 
MODEL: K18680
Size: 1600×800×600mm
.....



.....
MODEL: 16576
Size: 1500×760×600mm 
MODEL: 16678
Size: 1600×780×600mm
MODEL: 16782
Size: 1700×820×600mm
.....



.....
MODEL: 11572
Size: 1500×720×580mm 
MODEL: 11672
Size: 1650×720×580mm
MODEL: 11673
Size: 1580×730×580mm
MODEL: 11775
Size: 1680×750×580mm
MODEL: 11878
Size: 1780×780×600mm
.....



.....
MODEL: 10672
Size: 1580×720×620mm 
MODEL: 10774
Size: 1700×720×660mm
.....



.....
MODEL: 99686
Size: 1600×800×600mm 
MODEL: 99786
Size: 1700×800×600mm
MODEL: 99880
Size: 1800×800×600mm
.....



.....
MODEL: 15575
Size: 1500×750×610mm 
MODEL: 15675
Size: 1600×750×600mm
MODEL: 15776
Size: 1700×760×600mm
.....



.....
MODEL: K15582
Size: 1524×813×560mm 
.....



.....
MODEL: 14572
Size: 1500×720×560mm 
MODEL: 14673
Size: 1600×730×560mm
MODEL: 14775
Size: 1700×750×580mm
.....



.....
MODEL: 96570
Size: 1470×700×600mm 
MODEL: 96675
Size: 1570×750×600mm
MODEL: 96880
Size: 1770×800×600mm
.....



.....
MODEL: 91880
Size: 1800×800×600mm 
.....



.....
MODEL: 96674
Size: 1580×740×570mm 
.....



MODEL: 94674
Size: 1580×740×570mm

MODEL: 94880
Size: 1800×800×600mm



MODEL: 9773
Size: 1680×730×590mm

MODEL: 9672
Size: 1600×720×580mm

MODEL: 9570
Size: 1500×700×590mm



MODEL: 8860
Size: 1800×800×600mm



MODEL: 4675
Size: 1580×750×630mm

MODEL: 4777
Size: 1700×780×630mm

MODEL: 4880
Size: 1780×800×630mm



MODEL: 1518
Size: 1500×750×580mm

MODEL: 1618
Size: 1650×800×580mm

MODEL: 1718
Size: 1750×850×600mm



MODEL: 1582
Size: 1565×740×580mm

MODEL: 1682
Size: 1650×760×580mm

MODEL: 1782
Size: 1775×795×555mm

MODEL: 1720
Size: 1700×800×600mm



MODEL: 8840
Size: 1800×900×590mm



MODEL: 5957
Size: 1500×720×560mm

MODEL: 5978
Size: 1700×780×580mm

MODEL: 5988
Size: 1800×800×600mm



MODEL: 5575
Size: 1500×750×600mm

MODEL: 5672
Size: 1580×720×570mm

MODEL: 5776
Size: 1680×760×580mm

MODEL: 5878
Size: 1780×780×600mm



MODEL: 1506
Size: 1560×750×560mm

MODEL: 1606
Size: 1660×800×590mm

MODEL: 1706
Size: 1760×800×590mm



MODEL: 1506B
Size: 1550×760×630mm

MODEL: 1606B
Size: 1650×760×650mm

MODEL: 1706B
Size: 1750×760×630mm



MODEL: 1901-1590
Size: 1590×700×790mm





MODEL: 1599
Size: 1590×810×590mm

MODEL: 1699
Size: 1690×810×610mm

MODEL: 1799
Size: 1790×810×600mm



MODEL: 1640
Size: 1600×800×600mm

MODEL: 1740
Size: 1700×850×580mm

MODEL: 1840
Size: 1800×900×580mm



MODEL: 1381
Size: 1350×650×500mm

MODEL: 1481
Size: 1420×700×560mm

MODEL: 1581
Size: 1500×700×580mm

MODEL: 1681
Size: 1650×720×580mm

MODEL: 1881
Size: 1780×800×560mm



MODEL: 1564
Size: 1530×700×600mm

MODEL: 1664
Size: 1700×740×600mm

MODEL: 1764
Size: 1785×800×600mm



MODEL: 13572
Size: 1500×720×560mm

MODEL: 13673
Size: 1600×730×560mm

MODEL: 13775
Size: 1700×750×580mm

MODEL: 13880
Size: 1800×800×600mm



MODEL: 2002L/R(1650)
Size: 1650×750×520mm

MODEL: 2002L/R(1500)
Size: 1500×750×520mm



MODEL: 1808
Size: 1800×800×600mm

MODEL: 1608
Size: 1700×750×600mm

MODEL: 1508
Size: 1500×720×560mm

Applicable Waste



A1840-O
Popup Waste W/O Overflow



A1040-C
Popup Waste W Overflow




A1845
Waste W Slot Overflow




N1605
Integrated Waste With Movable Slot Overflow







Model	L	W	H	a	b	h	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
												20GP	40GP	40HQ
T17572	1500	720	560	1200	600	430	250	A39-D	75	90	290	30	66	88
T17778	1700	780	560	1400	660	430	280	A39-D	85	95	370	27	57	78




Model	L	W	H	a	b	h	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
												20GP	40GP	40HQ
T21572	1500	720	670	1110	684	420	340	A39-D	85	100	270	30	66	66
T21778	1700	780	670	1210	744	420	372	A39-D	95	110	350	21	42	66




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G13572	1500	720	560	1100	420	430	60	210	N1606	87	102	220	36	78	90
G13778	1700	780	580	1200	420	430	60	210	N1606	100	115	230	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
168572	1500	720	560	1040	450	430	60	225	N1606	38	45	180	36	78	90
168778	1700	780	600	1240	500	430	60	250	N1606	41	48	200	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
170572	1500	720	580	1060	450	440	60	225	N1606	38	45	210	30	66	88
170778	1700	780	600	1200	500	450	60	250	N1606	41	49	230	27	57	78




Model	L	W	H	a	b	h	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
												20GP	40GP	40HQ
T19572	1500	720	560	1415	635	430	330	A39-D	90	105	330	30	66	88
T19778	1700	780	560	1615	700	430	360	A39-D	100	115	410	27	57	78




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G11572	1500	720	560	1040	430	430	60	205	N1606	80	95	220	36	78	90
G11778	1700	780	580	1200	520	430	60	230	N1606	95	110	240	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G15572	1500	720	560	1040	430	430	60	205	N1606	80	95	220	36	78	90
G15778	1700	780	580	1200	520	430	60	230	N1606	95	110	240	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
169572	1500	720	560	1050	450	440	60	225	N1606	37	44	205	36	78	90
169778	1700	780	600	1150	500	450	60	250	N1606	40	47	220	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
171572	1500	720	620	1050	450	410	60	225	N1606	37	44	200	30	66	66
171778	1700	780	640	1200	500	450	60	250	N1606	41	49	230	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
177572	1500	720	560	1050	475	440	60	100	N1606	34	41	210	36	78	90
177750	1700	750	600	1200	505	450	60	100	N1606	37	44	250	24	51	70
177880	1800	800	600	1230	535	430	60	100	N1606	42	49	300	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
179772	1700	720	600	1200	470	450	60	235	N1606	42	50	230	27	57	78




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
191470	1400	700	700	1000	470	430	60	235	N1606	37	43	180	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G03572	1500	720	550	1050	480	420	60	240	N1606	50	58	230	36	78	92
G03778	1700	780	580	1300	530	450	60	265	N1606	52	60	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G07572	1500	720	550	1030	500	430	60	250	N1606	42	50	230	36	78	92
G07778	1700	780	580	1180	550	430	60	275	N1606	49	52	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
178572	1500	720	560	1100	450	430	60	225	N1606	37	44	200	30	66	88
178778	1700	780	600	1200	500	450	60	250	N1606	41	49	230	27	57	78




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
190572	1500	720	700	1060	450	430	60	225	N1606	37	44	200	30	66	66
190778	1700	780	700	1200	500	430	60	250	N1606	41	49	230	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
G09572	1500	720	550	1080	520	430	60	260	N1606	50	58	230	36	78	92
G09778	1700	780	580	1180	550	430	60	275	N1606	52	60	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB02573	1500	730	580	1000	450	430	60	225	N1606	36	42	230	36	78	92
EB02673	1600	730	580	1100	450	430	60	225	N1606	38	45	260	36	78	90
EB02778	1700	780	600	1200	500	450	60	250	N1606	42	49	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB04572	1500	720	635	1050	420	435	60	210	1840-0	36	42	230	30	66	66
EB04778	1700	780	635	1250	480	430	60	245	1840-0	38	45	260	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB06572	1500	720	560	1050	480	420	60	240	N1606	36	42	230	36	78	92
EB06675	1600	750	580	1150	510	440	60	245	N1606	38	45	260	24	78	90
EB06778	1700	780	600	1250	550	450	60	275	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB08573	1500	730	580	1040	430	430	60	215	N1606	36	42	230	36	78	92
EB08673	1600	730	580	1140	430	440	60	215	N1606	38	45	260	24	78	85
EB08778	1700	780	600	1240	480	450	60	240	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB01573	1500	730	580	1000	430	430	60	215	N1606	36	42	230	36	78	92
EB01673	1600	730	580	1100	430	430	60	215	N1606	38	45	260	36	78	90
EB01778	1700	780	600	1200	500	450	60	250	N1606	42	49	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB03573	1500	730	580	1000	490	430	60	245	N1606	36	42	230	36	78	92
EB03673	1600	730	580	1100	490	430	60	245	N1606	38	45	260	36	78	90
EB03778	1700	780	600	1200	540	450	60	270	N1606	42	49	260	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB05572	1500	720	705	1050	420	435	60	210	1840-0	36	42	230	30	66	66
EB05778	1700	780	725	1250	480	430	60	245	1840-0	38	45	260	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB07572	1500	720	560	1060	500	420	60	240	N1606	36	42	230	36	78	92
EB07675	1600	750	580	1160	530	440	60	265	N1606	38	45	260	24	78	85
EB07778	1700	780	600	1260	560	450	60	280	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB10572	1500	720	600	1040	420	420	60	120	N1606	36	42	230	36	78	92
EB10675	1600	750	640	1140	450	430	60	120	N1606	38	45	260	29	72	72
EB10778	1700	780	640	1240	480	450	60	120	N1606	42	49	280	24	42	60




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB12572	1500	720	640	1060	500	440	60	250	N1606	36	42	230	30	66	66
EB12675	1600	750	640	1160	550	440	60	275	N1606	38	45	260	30	66	66
EB12778	1700	780	660	1260	570	450	60	285	N1606	42	49	280	21	42	42




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB22572	1500	720	560	1060	500	420	60	250	N1606	36	42	230	36	78	92
EB22673	1600	730	580	1160	500	420	60	250	N1606	38	45	260	24	78	85
EB22778	1700	780	600	1260	550	450	60	275	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB59572	1500	720	600	1040	450	400	60	225	N1606	36	42	230	36	78	92
EB59673	1600	730	600	1140	450	420	60	225	N1606	38	45	260	24	78	85
EB59778	1700	780	600	1240	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a b h d r					Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
				20GP	40GP	40HQ									
EB61572	1500	720	600	1040	450	400	60	225	N1606	36	42	230	36	78	92
EB61778	1700	780	600	1240	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
156572	1500	720	560	1000	470	420	60	235	N1606	36	42	230	36	78	92
156672	1600	720	580	1100	470	420	60	235	N1606	38	45	260	24	78	85
156778	1700	780	600	1200	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
158572	1500	720	700	1000	450	420	60	225	N1606	36	42	230	36	66	66
158778	1700	780	700	1200	500	450	60	250	N1606	38	45	260	24	66	66




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
160572	1500	720	580	1060	500	420	60	250	N1606	36	42	230	36	78	92
160778	1700	780	600	1260	550	450	60	270	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
EB10672	1580	720	670	1000	450	420	60	90	N1606	36	42	230	36	66	66
EB10774	1700	720	670	1100	470	420	60	90	N1606	38	45	260	24	66	66




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
YF172572	1500	720	600	1040	440	420	60	220	N1606	36	42	230	36	78	92
YF172778	1700	780	600	1250	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
157570	1500	700	560	1100	475	420	60	90	N1606	36	42	230	36	78	92
157672	1600	720	580	1200	470	420	60	235	N1606	38	45	260	24	78	85
157778	1700	780	600	1260	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
159572	1500	720	580	900	450	450	60	225	N1606	36	42	230	36	78	92
159778	1700	780	600	1100	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
163572	1500	720	580	1000	450	430	60	225	N1606	36	42	230	36	78	92
163778	1700	780	600	1200	500	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
YF170572	1500	720	560	1100	480	420	60	225	N1606	36	42	230	36	78	92
YF170778	1700	780	600	1250	550	450	60	250	N1606	42	49	280	24	48	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
155572	1500	720	580	1000	470	440	60	235	N1606	40	46	230	36	78	90
155778	1700	780	600	1150	530	455	60	265	N1606	44	51	270	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
153572	1500	720	630	1050	450	460	60	225	N1606	43	49	230	33	72	72
153778	1700	780	660	1250	510	460	60	255	N1606	47	54	270	24	51	60




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
151572	1500	720	560	1000	460	440	60	230	N1606	40	46	230	30	66	88
151675	1600	750	580	1100	480	450	60	240	N1606	42	48	240	21	45	60
151778	1700	780	600	1200	500	460	60	250	N1606	50	57	280	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
138575L/R	1500	750	600	1000	470	450	60	100	N1606	39	45	220	30	66	88
138678L/R	1600	780	600	1050	500	450	60	100	N1606	42	49	260	21	42	56























Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
136575	1500	750	600	950	460	450	60	110	N1606	34	40	240	30	66	88
136776	1670	750	580	1150	450	450	60	225	N1606	39	46	270	27	57	78




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
131573	1500	730	580	1000	500	420	60	250	N1606	36	42	230	36	78	90
131778	1700	780	600	1200	530	430	60	264	N1606	40	47	250	24	51	70




Model	L	W	H	a	b	h	d	r	Drainer	N W (KG)	G W (KG)	W V (L)	Loading Qty		
													20GP	40GP	40HQ
152572	1500	720	560	1060	580	440	60	250	N1606	38	44	220	36	78	90
152778	1700	780	600	1260	550	450	60	275	N1606	42	49	290	24	51	70







Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
83572	1500	720	600	1000	480	460	60	240	N1605	37	43	200	30	65	80
83778	1700	780	600	1100	500	450	60	250	N1605	40	47	245	26	56	70




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
81572	1500	720	600	1000	460	430	60	230	N1605	35	41	170	30	65	80
81778	1700	780	600	1100	550	450	60	275	N1605	38	45	200	26	56	70




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
29572	1500	720	590	1000	470	440	60	235	A1845	38	44	240	30	60	88
29778	1700	780	600	1150	530	455	60	265	A1845	42	49	300	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
28572	1500	720	560	1000	470	425	60	235	A1845	37	43	270	30	60	88
28778	1700	780	590	1150	530	465	60	265	A1845	40	47	310	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
80572	1500	720	600	1000	490	450	60	245	N1605	30	36	200	30	65	80
80778	1700	780	600	1060	500	450	60	250	N1605	33	39	245	26	56	70




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
52572	1500	720	560	1000	460	440	60	230	A1845	36	42	220	30	66	88
52675	1600	750	570	1000	480	440	60	240	A1845	37	43	250	30	56	66
52778	1700	780	600	1100	500	460	60	250	A1845	39	46	280	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
27572	1500	720	560	1000	470	435	60	235	A1845	40	46	260	30	60	88
27778	1700	780	620	1150	530	465	60	265	A1845	42	57	320	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
K27572	1500	720	560	1000	480	430	60	240	A1845	39	45	280	31	65	81
K27675	1600	750	580	1100	520	430	60	260	A1845	41	47	290	29	61	76
K27778	1700	780	600	1200	550	460	60	275	A1845	43	49	320	26	54	67
K27880	1800	800	600	1300	570	460	60	285	A1845	45	52	340	24	50	62




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
44572	1500	720	560	1100	550	440	60	230	A1845	35	41	212	30	66	88
44778	1700	780	600	1200	460	450	60	230	A1845	39	46	253	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
43572	1500	720	600	1000	450	460	60	225	A1845	35	44	236	30	66	88
43778	1700	780	600	1200	500	460	60	250	A1845	39	46	275	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
24572	1500	720	570	1050	500	460	60	250	A1845	38	44	276	30	66	88
24778	1700	780	590	1150	560	470	60	280	A1845	42	49	340	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
21572	1500	725	660	1050	470	450	60	100	A1040-C 33	42	320		27	63	63
21680	1600	800	660	1100	550	450	60	100	A1040-C 36	46	340		15	35	42
21785	1700	800	660	1200	550	450	60	100	A1040-C 39	49	363		15	30	30




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
42678	1600	780	600	1250	600	470	60	300	A1845	37	43	250	30	56	66
42782	1700	820	600	1350	620	470	60	310	A1845	39	46	280	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
41572	1500	720	560	1000	450	430	60	110	A1040-C33	42	170		30	60	88
41778	1700	780	600	1150	480	450	60	110	A1040-C39	49	238		21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
K18580	1500	800	600	1000	500	460	60	250	A1845	40	46	262	24	56	63
K18680	1600	800	600	1050	500	460	60	250	A1845	44	50	285	21	49	63




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
16576	1500	760	600	1150	580	470	60	290	A1845	37	44	210	24	56	63
16678	1600	780	600	1250	600	470	60	300	A1845	40	47	230	21	49	63
16782	1700	820	600	1350	620	470	60	310	A1845	46	53	250	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
14572	1500	720	560	1000	530	440	60	90	A1845	33	40	280	22	56	77
14673	1600	730	560	1100	540	445	60	90	A1845	35	42	296	22	56	77
14775	1700	750	580	1200	560	460	60	90	A1845	40	48	315	21	48	66




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
10672	1580	720	620	1000	450	520	60	225	A1845	37	42	310	24	48	66
10774	1680	740	660	1100	470	540	60	235	A1845	40	46	340	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
99686	1600	800	600	1200	550	450	60	275	A1845	33	40	226	21	49	63
99786	1700	800	600	1250	550	450	60	275	A1845	37	44	238	21	42	54
99880	1800	800	600	1350	550	470	60	275	A1845	38	46	250	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
96570	1470	700	600	1100	510	460	60	255	A1845	34	40	455	33	69	92
96675	1570	750	600	1200	560	460	60	280	A1845	36	42	490	21	45	60
96880	1770	800	600	1300	610	460	60	305	A1845	38	45	360	21	42	56




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
91880	1800	800	600	1150	480	480	60	240	A1845	44	52	303	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
11572	1500	720	580	850A	450	450	60	225	A1845	34	40	260	27	63	77
11672	1650	720	580	1000	450	455	60	225	A1845	35	41	300	27	54	66
11673	1580	730	580	1100	520	450	60	260	A1845	33	39	280	24	56	77
11775	1680	750	580	1200	540	460	60	270	A1845	36	43	310	24	48	66
11878	1780	780	600	1300	570	460	60	285	A1845	39	46	340	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
96674	1580	740	570	1100	460	450	60	100	A1845	36	43	234	24	56	77




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
9773	1680	730	590	1155	470	440	60	130	A1845	39	46	385	24	48	66
9672	1600	720	580	1150	460	440	60	130	A1845	37	44	260	24	56	77
9570	1500	700	590	1050	450	430	60	130	A1845	35	40	340	27	63	77




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
94674	1580	740	570	1100	460	450	60	100	A1845	36	43	250	24	56	77
94880	1800	800	600	1320	520	470	60	100	A1845	43	50	320	21	42	54



Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
8860	1800	800	600	1250	500	450	60	250	A1845	42	50	300	18	36	36




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
8840	1800	900	590	1350	620	450	60	310	A1845	45	53	340	18	36	36



Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
5575	1500	750	600	1000	460	450	60	110	A1845	30	36	230	27	63	77
5672	1580	720	560	1050	450	450	60	110	A1845	33	39	263	27	63	77
5776	1680	760	580	1150	450	460	60	100	A1845	36	43	280	24	48	66
5878	1780	780	600	1250	500	480	60	120	A1845	39	46	297	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1518	1500	750	580	980	430	435	60	215	A1845	35	41	220	27	63	63
1618	1650	580	580	1030	430	420	60	215	A1845	37	44	250	24	48	54
1718	1750	850	600	1130	480	445	60	240	A1845	39	46	301	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1599	1590	810	590	1000	600	460	60	300	A1845	33	42	210	21	49	63
1699	1690	810	610	1100	600	460	60	300	A1845	36	46	240	21	42	54
1799	1790	810	600	1200	600	460	60	300	A1845	39	49	270	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1901-1590	1590	700	790	1040	420	450	/	210	A1840-O	36	43	300	15	35	35







Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1506	1560	750	560	1000	450	440	60	105	A1845	33	40	203	24	56	77
1606	1660	800	590	1040	470	480	60	105	A1845	37	44	231	21	49	60
1706	1760	800	590	1140	440	480	60	90	A1845	40	47	253	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1381	1350	650	500	1000	430	415	60	215	A1845	30	35	180	48	96	96
1481	1420	700	560	1000	450	440	60	90	A1845	31	37	200	48	96	96
1581	1500	700	580	1000	480	460	60	90	A1845	33	40	240	27	63	77
1681	1650	720	580	1100	500	460	60	90	A1845	36	43	270	27	54	66
1881	1780	800	560	1150	490	450	60	105	A1845	40	47	310	21	42	60




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
2002L/R(1650)	1650	750	520	1260	440	400	60	120	A1040-C	40	47	310	24	48	66
2002L/R(1500)	1500	750	520	1110	440	400	60	120	A1040-C	36	42	260	24	56	77




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1565	1530	700	600	1040	400	470	60	90	A1845	35	41	260	27	63	63
1665	1650	750	600	1080	450	470	60	90	A1845	38	45	280	24	48	54
1765	1785	800	600	1190	490	480	60	90	A1845	42	50	310	21	42	54




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
13572	1500	720	560	1050	480	440	60	100	A1845	38	44	230	27	63	77
13673	1600	730	560	1100	490	430	60	100	A1845	40	46	243	24	56	77
13775	1700	750	580	1200	510	450	60	100	A1845	42	49	260	24	48	66
13880	1800	800	600	1300	560	430	60	100	A1845	47	55	280	18	36	48




Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
2003L/R(1650)	1650	820	580	1290	510	460	60	120	A1040-C	42	48	310	24	48	66
2003L/R(1500)	1500	820	580	1110	510	460	60	120	A1040-C	38	45	260	24	56	77



Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1808	1800	800	600	1230	540	430	60	270	A1845	46	54	380	21	42	48
1608	1700	750	600	1200	505	450	60	100	A1845	43	50	350	21	42	54
1508	1500	720	560	1000	475	460	60	100	A1845	40	46	280	21	42	58



Model	L	W	H	a	b	h	d	r	Drainer	NW (KG)	GW (KG)	WV (L)	Loading Qty		
													20GP	40GP	40HQ
1564	1530	700	600	1100	490	470	60	90	A1845	45	51	260	27	63	63
1664	1700	740	600	1100	460	480	60	100	A1845	50	57	280	24	48	54
1764	1785	800	600	1215	590	470	60	90	A1845	54	62	306	21	42	54



BATHROOM CABINET SERIES


Green is the color of spring, representing nature, hope, and endless growth. In a corner of the home, decorate with a touch of green that comes with a healing buff, making life full of style and fun, and adding a touch of fresh vitality and poetry.



KOOCO
ARTOL
BATHROOM CABINET
SERIES



KOOCO



AL-8 31 12 17
Main Cabinet+Corian Basin: 1200x520x405 mm
Mirror: 600x30x1100 mm
Shelf:1000x120x50mm

AL-8 31 10 17
Main Cabinet+Corian Basin: 1000x520x405 mm
Mirror: 600x30x1100 mm
Shelf:900x120x50mm


AL-8 31 80 17
Main Cabinet+Corian Basin: 800x520x405 mm
Mirror: 600x30x1100 mm



AL-8 34 12 123
Main Cabinet+CorianBasin: 1200x520x405 mm
Mirror: 1180x30x650 mm
Shelf:600x120x236mm


AL-8 34 10 123
Main Cabinet+Corian Basin: 1000x520x405 mm
Mirror: 980x350x650 mm
Shelf:400x120x236mm

AL-8 34 80 123
Main Cabinet+Corian Basin: 800x520x405 mm
Mirror: 780x30x650 mm



AL-8 53 15 01
Main Cabinet+Corian Basin: 1500x520x430 mm
Mirror: 1100x30x670 mm
Side Cabinet: 350x150x670 mm


AL-8 53 12 01
Main Cabinet+Corian Basin: 1200x520x430 mm
Mirror: 800x30x670 mm
Side Cabinet: 350x150x670 mm






AL-8 54 12 20
Main Cabinet+Corian Basin: 1200x550x362 mm
Mirror: Ø700x30 mm
Shelf:400x120x300mm

AL-8 54 10 20
Main Cabinet+Corian Basin: 1000x550x362 mm
Mirror: Ø700x30 mm



AL- 8 55 16 16
Main Cabinet+Corian Basin: 1600x520x405 mm
Mirror: Ø900x30 mm

AL- 8 55 12 16
Main Cabinet+Corian Basin: 1200x520x405 mm
Mirror: Ø900x30 mm




AL- 8 56 12 14
Main Cabinet+Corian Basin: 1200x520x360 mm
Mirror: 600x30x1000 mm
Shelf:上:300x120x50mm
下:600x120x50mm

AL- 8 56 10 14
Main Cabinet+Corian Basin: 1000x520x360 mm
Mirror: 600x30x1000 mm
Shelf:400x120x50mm

AL- 8 56 90 14
Main Cabinet+Corian Basin: 900x520x360 mm
Mirror: 600x30x1000 mm


AL- 8 56 80 14
Main Cabinet+Corian Basin: 800x520x360 mm
Mirror: 600x30x1000 mm



AL-8 57 15 03
Main Cabinet+Corian Basin: 1500x520x355 mm
Mirror: Ø800x30 mm
Shelf:400x120x236mm

AL-8 57 12 03
Main Cabinet+Corian Basin: 1200x520x355 mm
Mirror: Ø800x30 mm

AL-8 57 10 03
Main Cabinet+Corian Basin: 1000x520x355 mm
Mirror: Ø800x30 mm







AL-8 58 16 13
Main Cabinet+Corian Basin: 1600x520x405 mm
Mirror: 600x30x900 mm
Shelf:700x150x180mm

AL-8 58 12 13
Main Cabinet+Corian Basin: 1200x520x405 mm
Mirror: 600x30x900 mm
Shelf:500x150x150mm

AL-8 58 10 13
Main Cabinet+Corian Basin: 1000x520x405 mm
Mirror: 600x30x900 mm
Shelf:300x150x150mm



AL-8 59 16 18
Main Cabinet+Corian Basin: 1600x520x610 mm
Mirror: 1560x30x750 mm




AL-2 54 15 07
Main Cabinet+Corian Basin: 1500x500x300 mm
LED Mirror: Ø700x35 mm
Side Cabinet: 350x250x900 mm
Shelf:600x120x16mm

AL-2 54 12 07
Main Cabinet+Corian Basin: 1200x500x300 mm
LED Mirror: Ø700x35 mm
Side Cabinet: 350x250x900 mm
Shelf:600x120x16mm

AL-2 54 10 07
Main Cabinet+Corian Basin: 1000x500x300 mm
LED Mirror: Ø700x35 mm
Side Cabinet: 350x250x900 mm
Shelf:600x120x16mm

AL-2 54 90 07
Main Cabinet+Corian Basin: 900x500x300 mm
LED Mirror: Ø700x35 mm
Side Cabinet: 350x250x900 mm
Shelf:600x120x16mm





JZ-006 70
Main Cabinet: 680x495x450 mm
Mirror Cabinet: 650x700x140 mm
Basin: 700x500x215 mm

JZ-006 80
Main Cabinet: 780x495x450 mm
Mirror Cabinet: 750x700x140 mm
Basin: 800x500x215 mm

JZ-006 90
Main Cabinet: 880x495x450 mm
Mirror Cabinet: 850x700x140 mm
Basin: 900x500x215 mm

JZ-006 10
Main Cabinet: 980x495x450 mm
Mirror Cabinet: 950x700x140 mm
Basin: 1000x500x215 mm





JZ-008 70
Main Cabinet: 680x450x500 mm
Mirror Cabinet: 650x700x140 mm
Basin: 700x500x150 mm

JZ-008 80
Main Cabinet: 780x450x500 mm
Mirror Cabinet: 750x700x140 mm
Basin: 800x500x150 mm

JZ-008 90
Main Cabinet: 880x450x500 mm
Mirror Cabinet: 850x700x140 mm
Basin: 900x500x150 mm

JZ-008 10
Main Cabinet: 980x450x500 mm
Mirror Cabinet: 950x700x140 mm
Basin: 1000x500x150 mm




JZ-009 70
Main Cabinet: 680x490x480 mm
Mirror Cabinet: 650x140x700 mm
Basin: 700x500 mm

JZ-009 80
Main Cabinet: 780x495x450 mm
Mirror Cabinet: 750x140x700 mm
Basin: 800x500 mm

JZ-009 90
Main Cabinet: 880x495x450 mm
Mirror Cabinet: 850x140x700 mm
Basin: 900x500 mm

JZ-009 10
Main Cabinet: 980x495x450 mm
Mirror Cabinet: 950x140x700 mm
Basin: 1000x500 mm



INTELLIGENT TOILET SERIES

Water Pressure:0.1>0.75Mpa

Home is not about size, warmth is good, household items are no longer expensive, comfort is good, enjoy the life of intelligent technology, choose the right smart toilet, protect the healthy toilet, love the new generation, designed specifically for families



ART02

KOOCO
INTELLIGENT TOILET
SERIES



INTELLIGENT NEW WORLD

KOOCO

Extremely comfortable and beautiful.
The combination of forward-looking technology
and stylish design.
Define a new quality of life.
Make washing more meaningful,
AIFOL, advocate of washing culture

BRIGHT AND CLEAR MODEL
OF FAMOUS PRODUCTS

KOOCO



ACRYLIC SHEET

Excellent acrylic plate ensures health and safety



Multi layer resin fiber reinforcement of thickened plate



thickened acrylic



clean & convenient



solid & durable

FASHIONABLE
AND NEW STYLE

OPTIONAL COLORS, ALWAYS ONE FOR YOU!

Acrylic is as gentle as a modest gentleman
The modeling trend is unforgettable



white



Matt gray



Matt black




Matt black

Rotary side knob for versatile shampoo definition
With a simple knob, it can perfectly switch between four functions: hip wash, bidet wash, flushing and stop. The simple operation can fully complete the soothing, one button in hand, no worries in the toilet, suitable for various needs of the crowd.

Functional description:
Power up: The shuttle halo is all lit (white)
Left- handed: Female wash fully automatic (halo is pink)
Right- handed: Universal wash fully automatic (halo is blue)
Middle button; Press once to enter the seat as the flush function (before any function is activated)
In the working state, press to stop; long press to shut down or boot
Remarks: Drying (halo is red)


MAGIC ROTATION

KOOOCO




KOOCO

NATIONAL CERTIFIED
ANTIBACTERIAL MATERIAL
the antibacterial rate reaches 99.9%



Aifol smart toilet seat uses PP material and other antibacterial technology, which has a long-term and stable antibacterial effect, can effectively inhibit the growth of bacteria and prevent cross-infection



CUSHION INTELLIGENT HEATING



intelligent temperature adjustment

220V AC seat ring heating, safer process, more efficient results and faster seat ring heating.



The seat ring is heated, and the seat ring temperature can be properly adjusted to make the toilet feel warm and not affect the toilet mood due to the change of external temperature.



Antibacterial seat ring is made of anti-bacterial materials, which can effectively avoid bacterial growth, improve hygiene coefficient and take care of your health.





Through a large number of design and experiments, we found the most comfortable balance point in the process of modification, and the overall shape conforms to ergonomics.

KOOCO

FAST DRYING, BEYOND IMAGINATION.

Through updating air inlet design, time can be cut within 1 minute.




Drying module

The built-in unique drying system of Aifol is famous for its high performance and low noise, so as to achieve the fastest drying and bring a pleasant experience.

Efficient waterproof

After waterproof treatment, the drying module can maintain its service life.



superior
waterproof



secure
experience



e. coli,



salmonella



staphylococcus aureus



candida albicans

KOOCO


GIVE YOUR FAMILY MORE LOVE

POWERFUL STERILIZATION GIVES FAMILY MORE CARE

nozzle uses 275nm UVC ultraviolet ray physical sterilization. one minute away from the seat, automatically open sterilization for three minutes, the bactericidal rate of Escherichia coli, Staph aureus, white read to get 99.99%.



ULTRAVIOLET STERILIZATION



water quality
without sterilization



UV sterilization
water quality


With medical grade UVLED sterilization and disinfection function, 316 stainless steel integrated cleaning nozzle. Before cleaning, the annular water flow will completely clean the nozzle; After leaving the seat, the ultraviolet ray will effectively eliminate the bacteria on the nozzle. Ensure healthy water washing.



KOOCO




ITEM NO.:ET-0001
Size:676x392x502mm
Pit:305mm
Rated Power:1300W



- | | | |
|--|--|---|
| Function:automatic clamshell
foot feel loop
foot feel flushing
leakage protection
remote control
hip cleaning | female cleaning
instant heating
adjustable nozzle position
adjustable water temperature
adjustable cleaning intensity
mobile comfortable cleaning | warm air drying
seat induction
self lighting
automatic deodorization |
|--|--|---|



ITEM NO.:ET-0002
Size:676x392x502mm
Pit:305mm
Rated Power:1300W




- | | | |
|--|--|---|
| Function:automatic clamshell
foot feel loop
foot feel flushing
leakage protection
remote control
hip cleaning | female cleaning
instant heating
adjustable nozzle position
adjustable water temperature
adjustable cleaning intensity
mobile comfortable cleaning | warm air drying
seat induction
self lighting
automatic deodorization |
|--|--|---|

KOOCO




ITEM NO.:AL-5321-Z
Size:597X398X393mm
Rated Power:1100W



- | | | |
|------------------------------|-----------------------------|-----------------------|
| Function:seat induction | seat heating | nozzle self-cleaning |
| hip cleaning | adjustable seat temperature | instant heating |
| female cleaning | automatic flush | magical knob |
| adjustable water pressure | off seat flushing | automatic clamshell |
| adjustable position | automatic deodorization | foot feel loop |
| adjustable water temperature | soft lighting | power outage flushing |
| warm air dryer | intelligent diagnosis | foot feel flush |
| adjustable dryer temperature | quiet close cover | |

Product
line diagram

unit:mm




Dimension: 500x120x1140mm
Material: HDPE
Flush Volume: full flush: 4.5L-7.5L
Half Flush: 3L-4.5L
Operation Panel Size: 236*152mm




AL-11150-1

Wall mounted
concealed water tank




ITEM NO.:AL-11150-1
Size:596x410x349mm
Rated Power:1100W



- | | | |
|---|---|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
automatic deodorization
mechanical flush | nozzle self-cleaning
hip cleaning
female cleaning
mobile cleaning
warm air drying
remote control | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|---|---|




ITEM NO.:T63
Size:675x393x462mm
Pit:300/400mm
Rated Power:1150W



- | | | |
|---|---|---|
| Function:rotary foam shield
automatic clamshell
foot feel loop
user mode
adjustable ambient lighting
UV sterilization
nozzle self-cleaning
automatic deodorization | kids function
hygiene care
hip cleaning
female cleaning
mobile cleaning
warm air drying
remote control
power outage flushing | leakage protection
ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|



ITEM NO.: T65
Size:703x425x458m
Pit:300/400mm
Rated Power:1050W




- | | | |
|--|---|--|
| Function:foam shield
automatic clamshell
foot feel loop
UV sterilization
LED screen
one-touch button
nozzle self-cleaning
automatic deodorization | hip cleaning
female cleaning
mobile cleaning
warm air drying
remote control
power outage flushing
leakage protection
ECO | off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|--|---|--|

Selective Color






ITEM NO.:T66
Size:681x425x457mm
Pit:300/400mm
Rated Power:1150W



- | | | |
|---|---|---|
| Function:rotary foam shield
automatic clamshell
foot feel loop
user mode
adjustable ambient lighting
UV sterilization
nozzle self-cleaning
automatic deodorization | kids function
hygiene care
hip cleaning
female cleaning
mobile cleaning
warm air drying
remote control
power outage flushing | leakage protection
ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|




ITEM NO.:T70
Size:687x427x439mm
Pit:300/400mm
Rated Power:1050W



- | | | |
|---|---|---|
| Function:automatic clamshell
foot feel loop
anti-bacterial nozzle
LED screen
one-touch button
nozzle self-cleaning
hip cleaning | female cleaning
mobile cleaning
powerful drying
remote control
power outage flushing
leakage protection
ECO | off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|




ITEM NO.:T68
Size:718x425x455mm
Pit:300/400mm
Rated Power:1200W



- | | | |
|---|--|---|
| Function:foam shield
automatic clamshell
foot feel loop
user mode
adjustable ambient lighting
UV sterilization
cool/warm spa
kids function | nozzle self-cleaning
one-touch button
hip cleaning
female cleaning
mobile cleaning
warm air drying
remote control
power outage flushing | leakage protection
ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|--|---|




ITEM NO.:AL-11129-OSXJ
Size:687x394x507mm
Pit:300/400mm
Rated Power:120W



- Function:one-touch button
off seat flushing
foot feel flushing
seat heating
soft lighting




ITEM NO.:T69
Size:682x425x480mm
Pit:300/400mm
Rated Power:1200W



- | | | |
|---|---|---|
| Function:automatic clamshell
foot feel loop
ambient lighting
LED screen
nozzle self-cleaning
hip cleaning
female cleaning | mobile cleaning
warm air drying
remote control
power outage flushing
leakage protection
ECO
off seat flushing | soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|



ITEM NO.:AL-11139K-1SXP
Size:680x420x465mm
Pit:300/400mm
Rated Power:1050W



- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
anti-bacterial nozzle
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote control
power outage flushing | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|



ITEM NO.:AL-11151Y-1CSXP
Size:687x427x430mm
Pit:300/400mm
Rated Power:1050W

Function:automatic clamshell foot feel loop LED screen one-touch button anti-bacterial nozzle nozzle self-cleaning	hip cleaning female cleaning mobile cleaning powerful drying remote control power outage flushing	leakage protection ECO off seat flushing adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---



ITEM NO.:AL-11152Y-1SXP
Size:687x427x450mm
Pit:300/400mm
Rated Power:1050W

Function:automatic clamshell foot feel loop LED screen one-touch button anti-bacterial nozzle nozzle self-cleaning	hip cleaning female cleaning mobile cleaning powerful drying remote control power outage flushing	leakage protection ECO off seat flushing adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---



ITEM NO.:AL-11151K-1CSXP
Size:687x425x430mm
Pit:300/400mm
Rated Power:1050W

Function:telescopic knob UV sterilization automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning	hip cleaning female cleaning mobile cleaning powerful drying remote control power outage flushing leakage protection	ECO off seat flushing adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---



ITEM NO.:AL-11153Y-1SXP
Size:687x427x450mm
Pit:300/400mm
Rated Power:1050W

Function:automatic clamshell foot feel loop LED screen one-touch button anti-bacterial nozzle nozzle self-cleaning	hip cleaning female cleaning mobile cleaning powerful drying remote control power outage flushing	leakage protection ECO off seat flushing adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---

Selective Color




ITEM NO.:AL-11155-1SXP
Size:686x425x480mm
Pit:300mm
Rated Power:1200W

Function:rotary foam shield automatic clamshell foot feel loop one-touch button UV sterilization LED screen nozzle self-cleaning automatic deodorization	hip cleaning female cleaning mobile cleaning warm air drying remote control power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature adjustable water pressure
---	---	--




ITEM NO.:AL-11156-OSXJ
Size:675x418x479mm
Pit:300/400mm
Rated Power:120W



Function:automatic clamshell
foot feel loop
one-touch button
off seat flushing
foot feel flushing
seat heating
soft lighting
adjustable seat temperature




ITEM NO.:AL-11157-1SXP
Size:686x404x483mm
Pit:300/400mm
Rated Power:1200W



Function:rotary foam shield automatic clamshell foot feel loop one-touch button UV sterilization LED screen nozzle self-cleaning automatic deodorization	hip cleaning female cleaning mobile cleaning warm air drying remote control power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature adjustable water pressure
---	---	--




ITEM NO.:AL-11156-SXJ
Size:675x418x479mm
Pit:300/400mm
Rated Power:1300W



Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air drying remote control	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	---




ITEM NO.:AF-3210-B
Size:700x425x480mm
Pit:300/400mm
Rated Power:1300W



Function: LED screen one-touch button ambient lighting nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air drying remote control power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---




ITEM NO.:AL-11156-1SXP
Size:675x418x479mm
Pit:300/400mm
Rated Power:1300W



Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning	female cleaning mobile cleaning warm air drying remote control power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	---	---



ITEM NO.:AL-11129-CSXJ
Size:687x394x507mm
Pit:300/400mm
Rated Power:1300W



Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air drying remote control	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	---

KOOCO



AL-11158K-1SXP




ITEM NO.:AL-11158K-1SXP

Size:702x423x702mm

Pit:300/400mm

Rated Power:1050W



Function:foam shield	automatic deodorization	ECO
automatic clamshell	hip cleaning	off seat flushing
foot feel loop	female cleaning	soft lighting
ambient lighting	mobile cleaning	adjustable water temperature
UV sterilization	powerful drying	adjustable seat temperature
LED screen	remote control	adjustable dryer temperature
one-touch button	power outage flushing	adjustable water pressure
nozzle self-cleaning	leakage protection	

Selective Color




ITEM NO.:AL-11129-1CSXP

Size:687x394x507mm

Pit:300/400mm

Rated Power:1300W




Function:foam shield	mobile cleaning	adjustable water temperature
automatic clamshell	warm air drying	adjustable seat temperature
foot feel loop	remote control	adjustable dryer temperature
LED screen	power outage flushing	
one-touch button	leakage protection	
nozzle self-cleaning	ECO	
hip cleaning	off seat flushing	
female cleaning	soft lighting	



ITEM NO.:AL-11136-CSXJ

Size:591x427x463mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11137-1CSXP

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---



ITEM NO.:AL-11136-1CSXP

Size:591x427x463mm
Pit:300/400mm
Rated Power:1300W




Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---



ITEM NO.:AL-11138-CSXJ

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11137-CSXJ

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11138-1CSXP

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W



Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---



ITEM NO.: MH022
Colour:Burgundy, Sky Blue, Smoke Gray
Material:Resin
Size:φ450×150mm



ITEM NO.:MH023
Colour:Burgundy, Sky Blue, Smoke Gray
Material:Resin
Size:600×400×150mm

Available Colors:

A01

Burgundy

A02


Sky Blue

A03


Smoke Gray



ITEM NO.: MH015
Colour:White
Size:1400×520×150mm
1000×520×150mm
800×520×150mm
Material:Corain
1200×520×150mm
900×520×150mm



ITEM NO.: MH025
Colour:White
Size:1200×520×150mm
900×520×150mm
Material:Corain
1000×520×150mm
800×520×150mm



ITEM NO.: MH026
Colour:White
Size:1600×520×150mm
1200×520×150mm
Material:Corain
1400×520×150mm



ITEM NO.: MH027
Colour:White
Size:1500×520×150mm
1000×520×150mm
Material:Corain
1200×520×150mm
800×520×150mm



ITEM NO.:MH028
Colour:White
Size: 1500×520×150mm
1000×520×150mm
Material:Corain
1200×520×150mm
800×520×150mm




ITEM NO.:MH029
Colour:White
Size: 1500×520×150mm
1000×520×150mm
Material:Corain
1200×520×150mm
800×520×150mm



ITEM NO.:MH030

Colour:White	Material:Corain
Size:1500×520×150mm	1400×520×150mm
1200×520×150mm	1000×520×150mm
800×520×150mm	



ITEM NO.:MH032

Colour:White	Material:Corain
Size:1500×520×150mm	1200×520×150mm
1000×520×150mm	800×520×150mm




ITEM NO.:MH005

Colour:White	Material:Corain
Size:1600×520×150mm	1500×520×150mm
1400×520×150mm	



ITEM NO.:TY8

Colour:White	Material:Corain
Size:1200×520×150mm	1000×520×150mm
900×520×150mm	800×520×150mm



ITEM NO.:MH006

Colour:Basin White Tabletop Grey
Material:Corain
Size:2400×520×150mm 2200×520×150mm
 1600×520×150mm 1200×520×150mm



ITEM NO.:GLS001

Colour:Basin White Tabletop Grey
Material:Corain
Size:1200×520×150mm 1000×520×150mm
900×520×150mm 800×520×150mm